

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	709/218,228,238.ccls. and quer\$4. ti.	USPAT	OR	OFF	2007/08/19 23:56
L2	33	lowest with address with network same node\$1	USPAT	OR	OFF	2007/08/19 23:56
L3	7	lowest with address with network same node\$1 and highest with address with network same node\$1	USPAT	OR	OFF	2007/08/19 23:56
L4	26	L2 not L3	USPAT	OR	OFF	2007/08/19 23:56
L5	4337	709/218,228,238.ccls.	USPAT	OR	OFF	2007/08/19 23:56
L6	1	"6636887".pn. and multip\$	USPAT	OR	OFF	2007/08/19 23:57
L8	1	"6192404".pn. and mult\$	USPAT	OR	OFF	2007/08/19 23:57
L9	11	delay\$1 same calculat\$6 same (network near2 address)	USPAT	OR	OFF	2007/08/19 23:58
L10	58293	delay\$1 same multip\$5	USPAT	OR	OFF	2007/08/19 23:58
L11	1	delay\$1 same calculat\$6 same (network near2 address) same multip\$4	USPAT	OR	OFF	2007/08/19 23:59
L12	1	delay\$1 same calculat\$6 same (network near2 address) same multip\$6	USPAT	OR	OFF	2007/08/19 23:59
L13	5995	delay\$1 same calculat\$6 same multip\$6	USPAT	OR	OFF	2007/08/19 23:59
L14	2772	delay\$1 same calculat\$6 with multip\$6	USPAT	OR	OFF	2007/08/19 23:59
L15	1644	delay\$1 with calculat\$6 with multip\$6	USPAT	OR	OFF	2007/08/19 23:59
L16	3	delay\$1 with calculat\$6 with multip\$6 and 5	USPAT	OR	OFF	2007/08/19 23:59
L17	25	delay\$1 with calculat\$6 with multip\$6 and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:00
L18	20	delay\$1 with calculat\$6 with multip\$6 and "709"/\$.ccls. and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:13
L19	20	delay\$1 with calculat\$6 with multipl\$6 and "709"/\$.ccls. and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:16
L20	99	delay\$1 near3 (constant or value) with calculat\$6 with multipl\$6 and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:16
L21	58	delay\$1 near3 (constant or value) with calculat\$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:20

## EAST Search History

L22	41	20 not 21	USPAT	OR	OFF	2007/08/20 00:17
L23	0	delay\$1 near3 (constant or value) with calculat\$6 with network with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24
L24	1	delay\$1 near3 (constant or value) with calculat\$6 with address with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L25	1	delay\$1 near3 (constant or value) same calculat\$6 with address with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L26	1	delay\$1 near3 (constant or value) same calculat\$6 with address\$4 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:18
L28	0	delay\$1 near3 (constant or value) with calculat\$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L29	7	delay\$1 with calculat\$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L30	8	delay\$1 same calculat\$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:20
L31	878	delay\$1 same calculat\$6 with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:20
L32	47	(constant or value) with calculat\$6 with network with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24
L33	194	(constant or value) with calculat\$6 with (network or address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:24

## EAST Search History

L34	5	(constant or value) with calculat\$6 with (network or address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L35	0	(constant or value) with calculat\$6 with (network adj2 address) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L36	0	(constant or value) with calculat\$6 with (network\$4 adj2 address\$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117" and "709"/\$.ccls.	USPAT	OR	OFF	2007/08/20 00:25
L37	0	(constant or value) with calculat\$6 with (network\$4 adj2 address\$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:25
L38	0	(constant or value) same calculat\$6 with (network\$4 adj2 address\$4) with (multiply or multiplies or multiplied or multiplying) and @ad<"20001117"	USPAT	OR	OFF	2007/08/20 00:25